

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

aTP372
.6
.U56228
1955

**United States
Department of
Agriculture**



National Agricultural Library

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE

Washington, D. C.

U.S.D.A., NAL

NOV 9 1998

Received


**UNITED STATES
STANDARDS**
for grades of
DRIED APPLES



EFFECTIVE OCTOBER 24, 1955

Fourth Issue

These standards supersede the standards
which have been in effect since
November 1, 1943



This is the fourth issue of the United States Standards for Grades of Dried Apples. These standards are issued by the Department after careful consideration of all data and views submitted.

These standards were published in the Federal Register on September 22, 1955 (20 F.R. 7095) and become effective October 24, 1955.

As in the case of other standards for processed fruits and vegetables, these standards are designed to serve as a convenient basis for sales, for establishing quality control programs, and for determining loan values. They will also serve as a basis for the inspection of this commodity by Federal inspection service, which is available for the inspection of other processed products as well.

The Department welcomes suggestions which might aid in improving these standards in future revisions. Comments may be submitted to, and copies of these standards obtained from:

Chief, Processed Products Standardization
and Inspection Branch
United States Department of Agriculture
Agricultural Marketing Service
Fruit and Vegetable Division
Washington 25, D. C.

UNITED STATES STANDARDS FOR GRADES OF DRIED APPLES¹

Effective October 24, 1955

PRODUCT DESCRIPTION, STYLES, AND GRADES

Sec.

- 52.2481 Product description.
52.2482 Styles of dried apples.
52.2483 Grades of dried apples.

DEFINITIONS OF TERMS

- 52.2484 Definitions of colors.
52.2485 Definitions of uniformity of size.
52.2486 Definitions of defects and degrees of freedom from defects.
52.2487 Definitions of texture.
52.2488 Definition of flavor and odor.

EXPLANATIONS AND METHODS OF ANALYSES

- 52.2489 Moisture.

WORK SHEET

- 52.2490 Work sheet for dried apples.

AUTHORITY: §§ 52.2481 to 52.2490 issued under sec. 205, 60 Stat. 1090; 7 U. S. C. 1624.

PRODUCT DESCRIPTION, STYLES, AND GRADES

§ 52.2481 *Product description*. Dried apples are prepared from sound, properly ripened fruit of the common apple (*Malus pumila*) by washing, sorting, trimming, peeling, coring, and cutting into segments. The prepared apple segments are properly dried to remove the greater portion of moisture to produce a semi-dry texture. The product may be sulfured sufficiently to retard discoloration. The dried apples are sorted or cleaned, or both, to assure a clean, sound, wholesome product.

§ 52.2482 *Styles of dried apples*—(a) *Pie pieces*. Pie pieces consist predominantly of irregularly shaped segments of approximate parallel thickness.

(b) *Slices (or rings)*. Slices (or

rings) consist predominantly of circular sections or partial circular sections with open or solid centers, cut at approximate right angles to the core and of approximate parallel thickness.

(c) *Wedges*. Wedges consist predominantly of sectors cut longitudinally and radially from the core.

(d) *Cuts*. Cuts consist of dried apple segments of irregular shapes or irregular thicknesses, or both, which are not predominantly of a single style of pie pieces, slices (or rings), or wedges.

§ 52.2483 *Grades of dried apples*.

(a) "U. S. Grade A" or "U. S. Fancy" dried apples is the quality of dried apples in the style of pie pieces, slices (or rings), or wedges in which the moisture content of the finished product is not more than 24 percent by weight, that possess similar varietal characteristics, that possess a normal flavor and odor, that possess a good color, that are practically uniform in size, that are practically free from defects, and that possess a good texture.

(b) "U. S. Grade B" or "U. S. Choice" dried apples is the quality of dried apples in the style of pie pieces, slices (or rings), or wedges in which the moisture content of the finished product is not more than 24 percent by weight, that possess similar varietal characteristics, that possess a normal flavor and odor, that possess a reasonably good color, that are reasonably uniform in size, that are reasonably free from defects, and that possess a reasonably good texture.

(c) "U. S. Grade C" or "U. S. Standard" dried apples is the quality of dried apples in the style of pie pieces, slices (or rings), wedges, or cuts in which the moisture content of the finished product is not more than 24 percent by weight,

¹ Compliance with the requirements of these standards shall not excuse failure to comply with the provisions of the Federal Food, Drug, and Cosmetic Act.

that may possess dissimilar varietal characteristics, that possess a normal flavor and odor, that possess a fairly good color; that are fairly uniform in size, except for cut style; that are fairly free from defects, and that possess a fairly good texture.

(d) "Substandard" dried apples is the quality of dried apples that fail to meet the requirements of U. S. Grade C or U. S. Standard.

DEFINITIONS OF TERMS

§ 52.2484 *Definitions of colors*—(a) *Good color*. "Good color" means that the dried apples possess a practically uniform bright, light yellow to white color, or other practically uniform bright characteristic color.

(b) *Reasonably good color*. "Reasonably good color" means that the dried apples possess a reasonably uniform and reasonably bright yellow to white color, or other reasonably uniform and reasonably bright characteristic color.

(c) *Fairly good color*. "Fairly good color" means that the dried apples possess a yellow to white color or other characteristic color that may be variable but not so variable or dark as to materially affect the appearance, edibility, or keeping quality of the product.

§ 52.2485 *Definitions of uniformity of sizes*—(a) *General*. Uniformity of size is applicable to those styles that are predominantly of the styles of pie pieces, slices (or rings), or wedges and does not apply to the style of cuts.

(b) *Definition of a whole ring*. A "whole" ring is a circular section which may possess an open or solid center and such a ring with an open center may be cut or broken in one place to the open center.

(c) *Definition of a practically whole ring*. A "practically whole" ring is a partial circular section, with either open or solid center, and in which at least three-fourths of the apparent whole circular section remains.

(d) *Practically uniform in size*. "Practically uniform in size" has the following meanings for the respective styles:

(1) *Pie pieces*. (i) Practically all of the units are approximately $\frac{1}{16}$ inch to

no more than approximately $\frac{1}{4}$ inch in their greatest thickness;

(ii) Not less than 85 percent, by weight, of all the units are 1 inch or more in their longest dimension; and

(iii) Not more than 2 percent, by weight, of all the units may be so small as to pass readily through $\frac{5}{16}$ inch square openings.

(2) *Slices (or rings)*. (i) Practically all of the units are no more than approximately $\frac{1}{4}$ inch in their greatest thickness;

(ii) Not less than 75 percent, by weight, of all the units are whole and practically whole rings; and

(iii) Not less than 75 percent, by weight, of all the units are $1\frac{1}{4}$ inches or more in their longest dimension.

(3) *Wedges*. (i) Not less than 90 percent, by weight, of all the units are $1\frac{1}{4}$ inches or more in their longest dimension and the greatest thicknesses of such units do not vary more than $\frac{1}{4}$ inch.

(e) *Reasonably uniform in size*. "Reasonably uniform in size" has the following meanings for the respective styles:

(1) *Pie pieces*. (i) Practically all of the units are approximately $\frac{1}{16}$ inch to no more than approximately $\frac{1}{4}$ inch in their greatest thickness;

(ii) Not less than 60 percent, by weight, of all the units are 1 inch or more in their longest dimension; and

(iii) Not more than 6 percent, by weight, of all the units may be so small as to pass readily through $\frac{5}{16}$ inch square openings.

(2) *Slices (or rings)*. (i) Practically all of the units are no more than approximately $\frac{1}{4}$ inch in their greatest thickness;

(ii) Not less than 60 percent, by weight, of all the units are whole and practically whole rings; and

(iii) Not less than 60 percent, by weight, of all the units are $1\frac{1}{4}$ inches or more in their longest dimension.

(3) *Wedges*. (i) Not less than 75 percent, by weight, of all the units are $1\frac{1}{4}$ inches or more in their longest dimension and the greatest thicknesses of such units do not vary more than $\frac{1}{4}$ inch.

(f) *Fairly uniform in size*. "Fairly uniform in size" has the following mean-

ings for the respective styles:

(1) *Pie pieces*. (i) Practically all of the units are approximately $\frac{1}{16}$ inch to no more than approximately $\frac{5}{16}$ inch in their greatest thickness;

(ii) Not less than 40 percent, by weight, of all the units are 1 inch or more in their longest dimension; and

(iii) Not more than 10 percent, by weight, of all the units may be so small as to pass readily through $\frac{5}{16}$ inch square openings.

(2) *Slices (or rings)*. (i) Practically all of the units are no more than approximately $\frac{5}{16}$ inch in their greatest thickness;

(ii) Not less than 40 percent by weight of all the units are whole and practically whole rings; and

(iii) Not less than 40 percent by weight of all the units are $1\frac{1}{4}$ inches or more in their longest dimension.

(3) *Wedges*. (i) Not less than 50 percent by weight of all the units are $1\frac{1}{4}$ inches or more in their longest dimension and the greatest thicknesses of such units do not vary more than $\frac{5}{16}$ inch.

§ 52.2486 *Definitions of defects and degrees of freedom from defects*—(a) *Small pieces*. "Small pieces" in the style of slices (or rings) means units that are less than 1 inch in their longest dimension.

(b) *Loose core or major portion thereof*. "Loose core or major portion thereof" means any part of an apple core that approximates one-half or more of the apparent original core including the seed cells and carpel tissue, with or without seeds. The seeds attached to such loose core or major portion thereof are not scorable as "seeds" within this section.

(c) *Seeds*. "Seeds" means any loose seeds or seeds attached to carpel tissue that are not considered a "loose core or major portion thereof."

(d) *Carpel tissue*. "Carpel tissue" means any hard tissue surrounding the seed cells that is not a part of a "loose core or major portion thereof."

(e) *Damaged*. (1) "Damaged by peel" means any unit possessing peel exceeding in the aggregate an area of a circle $\frac{1}{4}$ inch in diameter, regardless of the color of the peel.

(2) "Damaged by bruises or other discoloration, bitter pit or other corky tissue, and water core" means any unit of which the appearance or eating quality is materially affected by such defects. Slight, very light brown bruises are not regarded as "damage."

(3) "Damaged by other means" means units damaged by other defects not specifically mentioned, which materially affect the appearance or eating quality of the unit but does not include any filthy, decomposed, or deleterious substance.

(4) "Damaged by calyxes and stems" means that the appearance or eating quality of the unit is materially affected by such defects.

(f) *Practically free from defects*. "Practically free from defects" means that defects or defective units within the following limits may be present:

(1) No loose cores or major portions thereof;

(2) In the style of slices (or rings), not more than 5 percent, by weight, of the dried apples may be small pieces: *Provided*, That the appearance of the product is not materially affected by the presence of small pieces;

(3) Not more than 4 seeds for each 16 ounces of dried apples;

(4) Not more than 3 square inches of carpel tissue in the aggregate for each 16 ounces of dried apples; and

(5) Not more than 10 percent, by weight, of all the units may be damaged by peel, bruises or other discoloration, bitter pit or other corky tissue, water core, other means, calyxes, and stems: *Provided*, That not more than 1 percent, by weight, of all the units may be damaged by calyxes and stems.

(g) *Reasonably free from defects*. "Reasonably free from defects" means that defects or defective units within the following limits may be present:

(1) No loose cores or major portions thereof;

(2) In the style of slices (or rings), not more than 7 percent, by weight, of the dried apples may be small pieces: *Provided*, That the appearance of the product is not materially affected by the presence of small pieces;

(3) Not more than 6 seeds for each 16

ounces of dried apples;

(4) Not more than 6 square inches of carpel tissue in the aggregate for each 16 ounces of dried apples; and

(5) Not more than 15 percent, by weight, of all the units may be damaged by peel, bruises or other discoloration, bitter pit or other corky tissue, water core, other means, calyxes, and stems: *Provided*, That not more than 2 percent, by weight, of all the units may be damaged by calyxes and stems.

(h) *Fairly free from defects*. "Fairly free from defects" means that defects or defective units within the following limits may be present:

(1) Not more than 1 loose core or major portion thereof for each 48 ounces of dried apples;

(2) In the style of slices (or rings), not more than 10 percent, by weight, of the dried apples may be small pieces: *Provided*, That the appearance of the product is not seriously affected by the presence of small pieces;

(3) Not more than 10 seeds for each 16 ounces of dried apples;

(4) Not more than 9 square inches of carpel tissue in the aggregate for each 16 ounces of dried apples; and

(5) Not more than 20 percent, by weight, of all the units may be damaged by peel, bruises or other discoloration, bitter pit or other corky tissue, water core, other means, calyxes, and stems: *Provided*, That not more than 3 percent, by weight, of all the units may be damaged by calyxes and stems.

§ 52.2487 *Definitions of texture*—(a) *Good texture*. "Good texture" means that the units are generally pliable and there may be present a few hard and dry units.

(b) *Reasonably good texture*. "Reasonably good texture" means that the units may vary in pliability but are reasonably free from hard and dry units.

(c) *Fairly good texture*. "Fairly good texture" means that the texture may vary in degrees of pliability including hard and dry units.

§ 52.2488 *Definition of flavor and odor*—(a) *Normal flavor and odor*. "Normal flavor and odor" means a clean, typical dried apple flavor free from any objectionable flavor or objectionable odor of any kind. A flavor and odor from proper treatment by sulfur is not considered objectionable.

EXPLANATIONS AND METHODS OF ANALYSES

§ 52.2489 *Moisture*. "Moisture" means the percentage, by weight, of the dried apples that is moisture, when determined by the Dried Fruit Moisture Tester Method or in accordance with methods that give equivalent results.

WORK SHEET

§ 52.2490 *Work sheet for dried apples.*

Size and kind of container.....			
Container mark or identification.....			
Label or brand.....			
Net weight.....			
Style.....			
Moisture content.....			
Varietal characteristics: () Similar; () Dissimilar.....			
Flavor and odor: () Normal; () Other.....			
Color: () Good; () Reasonably good; () Fairly good.....			
Uniformity of size	Grade A	Grade B	Grade C
Pie pieces:			
Approximate thickness.....	1/16 to 1/4 inch.....	1/16 to 1/4 inch.....	1/16 to 5/16 inch.
Length, 1 inch or more (minimum).....	85 percent.....	60 percent.....	40 percent.
Pass thorough 5/16 inch square (maximum).....	2 percent.....	6 percent.....	10 percent.
Slices (or rings):			
Approximate thickness (maximum).....	1/4 inch.....	1/4 inch.....	5/16 inch.
Whole and practically whole rings (minimum).....	75 percent.....	60 percent.....	40 percent.
Length, 1 1/4 inches, or more (minimum).....	75 percent.....	60 percent.....	40 percent.
Wedges:			
Variation in thickness (maximum).....	1/4 inch.....	1/4 inch.....	5/16 inch.
Length, 1 1/4 inches, or more (minimum).....	90 percent.....	75 percent.....	50 percent.
DEFECTS			
Slices (or rings): Small pieces (maximum).....	5 percent.....	7 percent.....	10 percent.
All styles:			
Seeds (maximum).....	4 per 16 ounces.....	6 per 16 ounces.....	10 per 16 ounces.
Carpel tissue (maximum per 16 ounces).....	3 square inches.....	6 square inches.....	9 square inches.
Loose cores (maximum).....	None.....	None.....	1 per 48 ounces
Damaged, total (maximum).....	10 percent.....	15 percent.....	20 percent.
Includes calyxes and stems.....	1 percent.....	2 percent.....	3 percent.
Texture: () Good; () Reasonably good; () Fairly good.....			
Grade.....			

(All percentages are "by weight" of dried apples)

The United States Standards for Grade of Dried Apples (which is the fourth issue) contained in this subpart shall become effective 30 days after the date of publication hereof in the FEDERAL REGISTER and thereupon will supersede the United States Standards for Grades of Dried Apples which have been in effect since November 1, 1943.

Dated: September 19, 1955.

[SEAL] ROY W. LENNARTSON,
Deputy Administrator,
Marketing Services.



* NATIONAL AGRICULTURAL LIBRARY



1022471858

NATIONAL AGRICULTURAL LIBRARY



1022471858